





Air Control in Action

Daylight Sensing

This control solution allows dimming of artificial lighting when daylight is available for achieving maximum lighting quality and reduced energy consumption. Daylight sensors measure the illuminance and report the lux values to the network, which dim appropriate luminaires accordingly.

Air Control supports movement sensors for both absence and presence detection. Motion sensors can be used to save energy and only to have lighting on when it is actually needed.

Different lighting situations for different occasions can be created. It is possible to control multiple luminaires with one tap to create the perfect ambience for different occasions and needs. One luminaire can be used in several scenes.

Air Control offers comprehensive colour temperature control. Users can simply change the colour temperature of any tunable white luminaire just by sliding

Circulation and Transition Spaces

In circulation spaces, Air Control allows you to maintain set levels of illuminance during occupied periods, and reduced illumination levels when no presence is detected. This gives you the flexibility to deliver continuous low level lighting for assured comfort and safety, and maintain the building aesthetic during unoccupied periods. In receptions, you can create a welcoming daytime ambience, and a pleasing night-time appearance. Corridors can maintain light levels during occupied period only, reducing when no presence is detected to reduce overall energy consumption.

Meeting and Social Spaces

Air Control can be used in meeting and social spaces to create flexible, localised scenes for any application. Pre-configured scenes can be recalled at the touch of a scene plate, allowing the space to accommodate a variety of tasks and activities. Day to day operation is effortless, and scenes can be individually adjusted by any user via the app.

Parking Areas

Using Air Control in parking areas allows you to achieve much lower operating costs, whilst enhancing safety and security. Lighting can automatically adjust to accommodate both vehicular or pedestrian traffic, as well as automatically detecting daylight.

The Air Control System

PIR detectors

Product description	Maximum detection range	Optimum mounting height	Order code	
Recessed mains powered wireless absence / presence 360° detector with regulating photocell.	7m diameter	2.4m to 5m	ACONRECPIR	
Surface mounted mains powered wireless absence / presence 360° detector with regulating photocell.	7m diameter	2.4m to 5m	ACONSURPIR	6
Directional long range plug in mains powered wireless absence / presence 360° detector with regulating photocell. Requires ACONSOCK to enable surface mounting.	25m diameter	2.2m to 3m	ACONLRPIR	
Surface mounted circular socket for plug-in wireless PIR detector. Required for ACONLRPIR to enable surface mounting.	٠	٠	ACONSOCK	417.
High bay spot surface mounted mains powered wireless absence / presence 360° detector with regulating photocell.	5m diameter	20m	ACONHBSPIR	
High bay wide surface mounted mains powered wireless absence / presence 360° detector with regulating photocell.	28m diameter	14m	ACONHBWPIR	
Wall control				
Wireless user scene plate with flexible mounting possibilities for direct access to Air Control Bluetooth Low Energy wireless lighting control system functionalities.	٠	٠	ACONWS	
4 Channel push button switch interface for use in Air Control Bluetooth Low Energy wireless lighting control system.	٠	٠	ACONSIU	

Luminaire Control Modules

For wireless control of DALI or Fixed Output luminaires, modules can be integrated or supplied as a remote housing unit for on-site installation.

Remote Housing Unit for Fixed Output luminaires (20A relay for up to 200W)	ACONHCU
Remote Housing Unit for DALI luminaires (1 module per luminaire)	ACONYCU

Typical Air Control Enabled Luminaires

Circulation and transitory spaces









Meeting and social spaces









Utility and industrial spaces









UK Head Office

Whitecroft Lighting Ltd Burlington Street Ashton-Under-Lyne Lancashire OL7 0AX

T +44 (0)161 330 6811 F +44 (0)161 331 5855 email@whitecroftlight.com

Rep. Ireland Office

Ireland Office Fagerhult Ltd F1 Calmount Park Ballymount, Dublin 12 Ireland

T +353 (0)1 426 0200 F +353 (0)1 429 9606 info@fagerhult.ie www.fagerhult.ie

London Customer Centre

Whitecroft Lighting Ltd 102-108 Clerkenwell Road London EC1M 5SA

T +44 (0)161 330 6811 F +44 (0)161 331 5855

Middle East Office

Fagerhult Middle East P.O. Box 126287 Dubai United Arab Emirates

T +971 (0)4 3297120 F +971 (0)4 3297130 info@fagerhult.ae www.fagerhult.ae

